INDEX FOR VOLUME 57

Compiled by Cynthia F. Mirarchi and Rebecca Blankenhorn; checked by Ralph E. Mirarchi.

A

Accipiter gentilis, see Goshawk, northern
Activity budgets:
Egyptian mongooses in Spain, 164–167
incubating trumpeter swans, 709–716
nesting burrowing owls, 612–616
Adam, Michael D., see Lacki, Michael J.
Adams, Elizabeth M., and Michael L. Morrison. Effects of forest stand structure and composition on red-breasted nuthatches and brown creepers, 616–629
Afton, Alan D., *see* Gloutney, Mark L.
Agelaius phoeniceus, see Blackbird, red-winged
Aix sponsa, see Duck, wood
Alaska:
lesser snow goose food habits, 55–61
moose reproduction, 454–468
Alberta:
loggerhead shrike habitat, 346–352
Alces alces, see Moose
Alexander, Robert W., *see* Kaminski, Richard M.
Alisauskas, Ray T., and Keith A. Hobson. Determination of lesser snow goose diets and winter distribution using stable isotope analysis, 49–54
Alldredge, William A., *see* Torbit, Stephen C.
Allen, Stephen H., and Alan B. Sargeant. Dispersal patterns of red foxes relative to population density, 526–533
Anas acuta, see Duck, northern pintail
Anas clypeata, see Duck, northern shoveler
Anas crecca, see Duck, green-winged teal
Anas discors, see Duck, blue-winged teal
Anas fulvigula, see Duck, mottled
Anas gibberifrons, see Duck, grey teal
Anas platyrhynchos, see Duck, mallard
Anas rubripes, see Duck, black
Anas strepera, see Duck, gadwall
Anas superciliosa, see Duck, Pacific black
Andelt, William F., *see* Ringelman, James K.
Anderson, Stanley H., *see* Conway, Courtney J.
Anganuzzi, Alejandro A., and Stephen T. Buckland. Post-stratification as a bias reduction technique, 827–834
Animal damage control:
blackbirds and insecticidal seed treatment, 652–656
effects of feral pig removal in Hawaii, 875–880
grazing impact of pronghorns on winter wheat, 173–181
inherent resistance and toxic bait aversion in rats, 640–647
recolonization of mountain beaver habitat in Oregon, 847–853
resistant rats and mice, rodenticides, and antidotal effects of vitamin K, 835–841
rock doves and repellents, 113–122
snowshoe hares and thiram repellent on conifers, 648–651
Ankney, C. Davison, *see* Merendino, M. Todd
———, *see* Dufour, Kevin W.
Antelope, pronghorn:
grazing impact in Colorado, 173–181
Anthony, Robert G., Monte G. Garrett, and Carol A. Schuler. Environmental contaminants in bald eagles in the Columbia River Estuary, 10–19
———, *see* Garrett, Monte G.
———, *see* Rosenberg, Daniel K.
Antilocapra americana, see Antelope, pronghorn
Aplodontia rufa, see Beaver, mountain
Arnett, Edward B., *see* Irwin, Larry L.
Arnold, Todd W., Michael D. Sorenson, and Jay J. Rotella. Relative success of overwater and upland mallard nests in southwestern Manitoba, 578–581
Art:
Review of **Nature's window: Charles Frace**, by Bruce Henry Davis. Review by R. A. McCabe, 425–426
Review of **Masterpieces of bird art: 700 years of ornithological illustrations**, by R. F. Pasquier and J. Farrand, Jr. Review by R. A. McCabe, 426–427
Arthur, Stephen M., Thomas F. Paragi, and William B. Krohn. Dispersal of juvenile fishers in Maine, 868–874
Australia:
Review of **Nature conservation 2: the role of corridors**, edited by Denis A. Saunders and Richard J. Hobbs. Review by R. F. Noss, 191–192
waterfowl hunting mortality, 42–48
Avery, Michael L., David G. Decker, David L. Fischer, and Tammy R. Stafford. Responses of captive blackbirds to a new insecticidal seed treatment, 652–656
Aythya affinis, see Duck, lesser scaup
Aythya americana, see Duck, redhead
Aythya valisineria, see Duck, canvasback
Azkona, Paz, *see* Fernandez, Carmelo

B

Baits:
aversions to baits in different rat strains, 640–647
Baldassarre, Guy A., *see* Moorman, Thomas E.
Banding:
analysis as affected by body condition, 209–215
analysis of movements of band-tailed pigeons, 103–112
analysis of northern pintail winter distribution, 582–589
analysis of survival of northern pintails, 590–597
induced mortality in lesser snow geese, 555–562
mallard body condition and sampling bias, 741–751
Barker, Richard J., and Ian M. Buchanan. Estimating adult survival rates of New Zealand black swans banded as immatures, 549–555
Bartramia longicauda, see Sandpiper, upland

INDEX FOR VOLUME 57

Compiled by Cynthia F. Mirarchi and Rebecca Blankenhorn; checked by Ralph E. Mirarchi.

A

Accipiter gentilis, see Goshawk, northern
Activity budgets:
Egyptian mongooses in Spain, 164–167
incubating trumpeter swans, 709–716
nesting burrowing owls, 612–616
Adam, Michael D., see Lacki, Michael J.
Adams, Elizabeth M., and Michael L. Morrison. Effects of forest stand structure and composition on red-breasted nuthatches and brown creepers, 616–629
Afton, Alan D., *see* Gloutney, Mark L.
Agelaius phoeniceus, see Blackbird, red-winged
Aix sponsa, see Duck, wood
Alaska:
lesser snow goose food habits, 55–61
moose reproduction, 454–468
Alberta:
loggerhead shrike habitat, 346–352
Alces alces, see Moose
Alexander, Robert W., *see* Kaminski, Richard M.
Alisauskas, Ray T., and Keith A. Hobson. Determination of lesser snow goose diets and winter distribution using stable isotope analysis, 49–54
Alldredge, William A., *see* Torbit, Stephen C.
Allen, Stephen H., and Alan B. Sargeant. Dispersal patterns of red foxes relative to population density, 526–533
Anas acuta, see Duck, northern pintail
Anas clypeata, see Duck, northern shoveler
Anas crecca, see Duck, green-winged teal
Anas discors, see Duck, blue-winged teal
Anas fulvigula, see Duck, mottled
Anas gibberifrons, see Duck, grey teal
Anas platyrhynchos, see Duck, mallard
Anas rubripes, see Duck, black
Anas strepera, see Duck, gadwall
Anas superciliosa, see Duck, Pacific black
Andelt, William F., *see* Ringelman, James K.
Anderson, Stanley H., *see* Conway, Courtney J.
Anganuzzi, Alejandro A., and Stephen T. Buckland. Post-stratification as a bias reduction technique, 827–834
Animal damage control:
blackbirds and insecticidal seed treatment, 652–656
effects of feral pig removal in Hawaii, 875–880
grazing impact of pronghorns on winter wheat, 173–181
inherent resistance and toxic bait aversion in rats, 640–647
recolonization of mountain beaver habitat in Oregon, 847–853
resistant rats and mice, rodenticides, and antidotal effects of vitamin K, 835–841
rock doves and repellents, 113–122
snowshoe hares and thiram repellent on conifers, 648–651
Ankney, C. Davison, *see* Merendino, M. Todd
———, *see* Dufour, Kevin W.
Antelope, pronghorn:
grazing impact in Colorado, 173–181
Anthony, Robert G., Monte G. Garrett, and Carol A. Schuler. Environmental contaminants in bald eagles in the Columbia River Estuary, 10–19
———, *see* Garrett, Monte G.
———, *see* Rosenberg, Daniel K.
Antilocapra americana, see Antelope, pronghorn
Aplodontia rufa, see Beaver, mountain
Arnett, Edward B., *see* Irwin, Larry L.
Arnold, Todd W., Michael D. Sorenson, and Jay J. Rotella. Relative success of overwater and upland mallard nests in southwestern Manitoba, 578–581
Art:
Review of **Nature's window: Charles Frace**, by Bruce Henry Davis. Review by R. A. McCabe, 425–426
Review of **Masterpieces of bird art: 700 years of ornithological illustrations**, by R. F. Pasquier and J. Farrand, Jr. Review by R. A. McCabe, 426–427
Arthur, Stephen M., Thomas F. Paragi, and William B. Krohn. Dispersal of juvenile fishers in Maine, 868–874
Australia:
Review of **Nature conservation 2: the role of corridors**, edited by Denis A. Saunders and Richard J. Hobbs. Review by R. F. Noss, 191–192
waterfowl hunting mortality, 42–48
Avery, Michael L., David G. Decker, David L. Fischer, and Tammy R. Stafford. Responses of captive blackbirds to a new insecticidal seed treatment, 652–656
Aythya affinis, see Duck, lesser scaup
Aythya americana, see Duck, redhead
Aythya valisineria, see Duck, canvasback
Azkona, Paz, *see* Fernandez, Carmelo

B

Baits:
aversions to baits in different rat strains, 640–647
Baldassarre, Guy A., *see* Moorman, Thomas E.
Banding:
analysis as affected by body condition, 209–215
analysis of movements of band-tailed pigeons, 103–112
analysis of northern pintail winter distribution, 582–589
analysis of survival of northern pintails, 590–597
induced mortality in lesser snow geese, 555–562
mallard body condition and sampling bias, 741–751
Barker, Richard J., and Ian M. Buchanan. Estimating adult survival rates of New Zealand black swans banded as immatures, 549–555
Bartramia longicauda, see Sandpiper, upland

Bat, Virginia big-eared:
foraging and roosting ecology, 539–543
Bear, black:
habitat use model for geographic information system, 519–526
Beaver, mountain:
habitat and recolonization in Oregon, 847–853
Belden, Robert C., and Bruce W. Hagedorn. Feasibility of translocating panthers into northern Florida, 388–397
Bergan, James F., and Loren M. Smith. Survival rates of female mallards wintering in the Playa Lakes region, 570–577
Bias:
bias and hunter-killed mallards, 733–740
body condition and band-recovery analysis in Ontario, 209–215
encounter sampling surveys, 543–548
estimating survival rates, 549–555
harvest estimate precision, 129–134
mallard body condition and sampling bias, 741–751
post-stratification and bias reduction, 827–834
Bildstein, Keith L., *see* Gawlik, Dale E.
Biodiversity:
Review of **Manatees and dugongs,** by John E. Reynolds III and Daniel K. Odell. Review by J. M. Packard, 423–424
Review of **Wildlife research and Management in the national parks,** by R. Gerald Wright. Review by D. M. Leslie, Jr., 424–425
Birds:
aversion to repellents used in cyanide ponds, 657–664
aversion to insecticidal seed treatment, 652–656
avian nest predation in forests, 358–364
cyclodiene poisoning from historic use, 630–639
Review of **Wisconsin birdlife population and distribution: past and present,** by Samuel D. Robbins, Jr. Review by D. H. Rusch, 194–195
Review of **Masterpieces of bird art: 700 years of ornithological illustrations,** by R. F. Pasquier and J. Farrand, Jr. Review by R. A. McCabe, 426–427
Review of **Bird population studies: relevance to conservation and management,** edited by C. M. Perrins, J. D. Lebreton, and G. J. M. Hirons. Review by F. C. James, 665–667
Review of **The birds of British Columbia. Vol. 1. nonpasserines: introduction, loons through waterfowl,** edited by R. Wayne Campbell, Neil K. Dawe, Ian McTaggart-Cowan, John M. Cooper, Gary W. Kaiser, and Michael C. E. McNall. Review by A. L. A. Middleton, 667–668
Review of **Birds in jeopardy: the imperiled and extinct birds of the United States and Canada, including Hawaii and Puerto Rico,** by P. R. Ehrlich, D. S. Dobkin, and D. Wheye. Review by W. C. Hunter, 938–940
Bishop, Julie D., *see* Crocker, David R.
Bison bison, see Bison
Bison:
monitoring ovulation in Yellowstone, 407–412
Bittern, American:
call response surveys, 27–34
Bittern, least:
call response surveys, 27–34
Blackbird, red-winged:
repellency of insecticidal seed treatment, 652–656
Blake, Karen A., *see* Robertson, Peter A.
Bloom, Peter H., Michael D. McCrary, and Marjorie J. Gibson. Red-shouldered hawk home-range and habitat use in southern California, 258–265
Body condition:
as affects hunting vulnerability of mallards, 209–215
bias and hunter-killed mallards, 733–740
black-tailed deer and resource partitioning, 475–494
body size indices of muskrats, 854–860
effects on lesser snow goose survival during mass-banding, 555–562
effects of ingested experimental shot in captive mallards, 725–732
female mallards wintering in Playa Lakes, 570–577
mallard body condition and sampling bias, 741–751
molting mottled ducks, 224–228
nesting marsh harriers and human impact, 602–608
ring-necked pheasant flying ability, 778–782
trumpeter swan incubation and habitat quality, 709–716
urinary cortisol indices of winter stress in mule deer, 397–399
wintering northern pintails, 62–71
Botaurus lentiginosus, see Bittern, American
Bowen, Bonnie S., and Arnold D. Kruse. Effects of grazing on nesting by upland sandpipers in southcentral North Dakota, 291–301
Brackney, Alan W., and Jerry W. Hupp. Autumn diet of lesser snow geese staging in northeastern Alaska, 55–61
Braun, Clait E., *see* Giesen, Kenneth M.
———, *see* Schroeder, Michael A.
Breitenmoser, Urs, and Heinrich Haller. Patterns of predation by reintroduced European lynx in the Swiss Alps, 135–144
Brisbin, I. Lehr, Jr., *see* Kennamer, Robert A.
British Columbia:
Review of **The birds of British Columbia. Vol. 1. Nonpasserines: introduction, loons through waterfowl,** edited by R. Wayne Campbell, Neil K. Dawe, Ian McTaggart-Cowan, John M. Cooper, Gary W. Kaiser, and Michael C. E. McNall. Review by A. L. A. Middleton, 667–668
Brunning, Donald. Review of **New world parrots in crisis: solutions from conservation biology,** by S. R. Beissinger and N. F. R. Snyder, 667
Buchanan, Ian M., *see* Barker, Richard J.
Buckland, Stephen T., *see* Anganuzzi, Alejandro A.
Bull, Evelyn L., and Richard S. Holthausen. Habitat use and management of pileated woodpeckers in northeastern Oregon, 335–345
Bunck, Christine M., *see* Haramis, G. Michael
Burger, George V. Review of **The little green bird: the ecology of the willow flycatcher,** by Robert A. McCabe, 194–195
Burk, John D., *see* Palmer, William E.

Buteo jamaicensis, see Hawk, red-tailed
Buteo lineatus elegans, see Hawk, red-shouldered
California:
dusky-footed woodrat density estimates and northern spotted owls, 373–382
red-shouldered hawk home-range and habitat use, 258–265

C

Canis lupus, see Wolf, gray
Carlson, Peter C., George W. Tanner, John M. Wood, and Stephen R. Humphrey. Fire in key deer habitat improves browse, prevents succession, and preserves endemic herbs, 914–928
Carpenter, James W., *see* Nesbitt, Stephen A.
Cavity:
red-cockaded woodpecker old-growth habitat, 122–128
red-cockaded woodpecker competition with southern flying squirrels, 329–335
Census:
effects of variation in herd composition counts, 890–897
mountain sheep and mark-resight estimates, 436–450
Centrocercus urophasianus, see Grouse, sage
Certhia americana, see Creeper, brown
Cervus elaphus, see Elk
Chen caerulescens atlantica, see Goose, greater snow
Chen caerulescens caerulescens, see Goose, lesser snow
Chesapeake Bay:
survival of wintering hatching-year female canvasbacks, 763–771
Chipmunk, Townsend's:
population characteristics and habitat in Oregon, 365–373
Cinnamic acid:
derivatives and rock dove repellency, 113–122
Circus aeruginosus, see Harrier, marsh
Clark, Joseph D., James E. Dunn, and Kimberly G. Smith. A multivariate model of female black bear habitat use for a geographic information system, 519–526
Clark, Larry, and Pankaj S. Shah. Chemical bird repellents: possible use in cyanide ponds, 657–664
Clark, Robert G., *see* Gloutney, Mark L.
Clutch size:
bald eagles, 1–9
Coblentz, Bruce E., *see* Hacker, Amy L.
Colinus virginianus, see Quail, northern bobwhite
Collister, Douglas, M., *see* Prescott, David R. C.
Collopy, Michael W., *see* Wood, Petra Bohall-Wood
Colorado:
band-tailed pigeon migratory patterns, 103–112
grazing impact of pronghorns, 173–181
white-tailed ptarmigan dispersal, 71–78
Columba fasciata, see Pigeon, band-tailed
Columba livia, see Dove, rock
Columbia River Estuary:
bald eagles and contaminants, 10–19
bald eagle use, 19–27
Comment:
improving resource sciences, 182–183
urban Big Cypress fox squirrels, 929–930
Connelly, John W., *see* Musil, David D.
Conservation biology:
bald eagle reintroduction, 1–9
endemic plants and Key deer, 914–928
feasibility of translocating Florida panthers, 388–397
habitat associations of red-cockaded woodpeckers, 122–128
planning for red-shouldered hawk, 258–265
reintroduction of European lynx, 135–144
restoration of soil microarthropods after pig removal, 875–880
Review of **Nature conservation 2: the role of corridors,** edited by Denis A. Saunders and Richard J. Hobbs. Review by R. F. Noss, 191–192
Review of **A stillness in the pines. The ecology of the red-cockaded woodpecker,** by Robert W. McFarlane. Review by P. D. Doerr, 192–194
Review of **Manatees and dugongs,** by John E. Reynolds III and Daniel K. Odell. Review by J. M. Packard, 423–424
Review of **Wildlife research and management in the national parks,** by R. Gerald Wright. Review by D. M. Leslie, Jr., 424–425
Review of **New world parrots in crisis: solutions from conservation biology,** by S. R. Beissinger and N. F. R. Snyder. Review by D. Brunning, 667
Review of **Wildlife habitat relationships in forested ecosystems,** by David R. Patton. Review by S. D. Schemnitz, 670–671
Review of **Bird population studies: relevance to conservation and management,** edited by C. M. Perrins, J.D. Lebreton, and G. J. M. Hirons. Review by F. C. James, 665–667
Review of **Wetlands,** edited by Max Finlayson and Michael Moser. Review by G. W. Folkerts, 669–670
Review of **Protected landscapes: a guide for policy-makers and planners,** by P. H. C. Lucas. Review by H. A. Raffaele, 934
Review of **Rare and endangered biota of Florida. Volume I. Mammals,** edited by Stephen R. Humphrey. Review by G. A. Heidt, 937–938
Review of **Birds in jeopardy: the imperiled and extinct birds of the United States and Canada, including Hawaii and Puerto Rico,** by P. R. Ehrlich, D. S. Dobkin, and D. Wheye. Review by W. C. Hunter, 938–940
sandhill cranes as experimental surrogates for whooping cranes, 673–679
survival and cross-fostering New Zealand black stilts, 608–611
Yuma clapper rails, 282–290
Contaminants:
bald eagles and prey, 10–19
bias and hunter-killed mallards exposed to lead, 733–740
bird repellents for cyanide ponds, 657–664
heavy metal accumulation in moose, 469–474
ingested experimental shot in captive mallards, 725–732

insecticides and bird poisoning 630–639
radiocesium contamination in wood duck eggs, 716–724
Conway, Courtney J., William R. Eddleman, Stanley H. Anderson, and Louis R. Hanebury. Seasonal changes in Yuma clapper rail vocalization rate and habitat use, 282–290
———, and Thomas E. Martin. Habitat suitability for Williamson's sapsuckers in mixed-conifer forests, 322–328
Cooch, Evan G., *see* Williams, Tony D.
Cook, Dane E., *see* Saltz, David
Cook, John G., *see* Irwin, Larry L.
Cooke, Fred, *see* Williams, Tony D.
Cooper, James A., *see* Henson, Paul
Cooper, Morris, *see* Woolf, Alan
Corvus corax, *see* Raven, common
Cowbird, brown-headed:
repellency of insecticidal seed treatment, 652–656
Crane, Florida sandhill:
survival and movements of released cranes, 673–679
Crane, greater sandhill:
survival and movements of released cranes, 673–679
Crane, whooping:
survival and movements of released cranes, 673–679
Crawford, John A., *see* Keegan, Thomas W.
Meleagris gallopavo intermedia, *see* Turkey, Rio Grande
Creeper, brown:
population density and forest composition, 616–629
Crocker, David R., Susan M. Perry, Mark Wilson, Julie D. Bishop, and Clare B. Scanlon. Repellency of cinnamic acid derivatives to captive rock doves, 113–122
Crop protection:
rock doves and repellents, 113–122
Cygnus attratus, *see* Swan, black
Cygnus buccinator, *see* Swan, trumpeter

D

Davidson, William R. Review of **Parasites and diseases of wild mammals in Florida,** by Donald J. Forrester, 196–197
Decker, David G., *see* Avery, Michael L.
Deer, black-tailed:
resource partitioning and body size, 475–494
variation in herd composition counts, 890–897
Deer, desert mule:
nocturnal activity, 897–904
Deer, Key:
benefits of fire on habitat, 914–928
Deer, mule:
urinary cortisol indices of winter stress, 397–399
Deer, white-tailed:
predicting habitat use in Idaho, 904–913
Delibes, Miguel, *see* Palomares, Francisco
DeMaso, Stephen J., *see* Spears, Gary S.
———, *see* Rice, Steven M.
Dennis, Darrell G., *see* Merendino, M. Todd
Devries, James H., *see* Rotella, Jay J.
Diepeveen, Dean A., *see* Halse, Stuart A.
Diet:
European lynx in Swiss Alps, 135–144
fecal indicators of nutritional status in Rocky Mountain sheep, 413–421
redhead ducks in near and offshore zones, 238–244
Disease:
bighorn sheep population, ewe harvest, and pneumonia, 429–435
Review of **Parasites and diseases of wild mammals in Florida,** by Donald J. Forrester. Review by W. R. Davidson, 196–197
tularemia and cottontail rabbit population, 144–157
Dispersal:
different strains of ring-necked pheasants, 778–782
juvenile fishers in Maine, 868–874
red fox relative to population density, 526–533
white-tailed ptarmigan, 71–78
Doerr, Phillip D. Review of **A stillness in the pines. The ecology of the red-cockaded woodpecker,** by Robert W. McFarlane, 192–194
Dove, rock:
feeding deterrents, 113–122
Dryocopus pileatus, *see* Woodpecker, pileated
Duck, black:
competitive exclusion by mallards, 199–208
Duck, blue-winged teal:
timing of nest searches, 597–601
Duck, canvasback:
survival of wintering females, 758–762
survival of wintering hatching-year females, 763–771
winter sex ratios, 751–758
Duck, gadwall:
timing of nest searches, 597–601
Duck, green-winged teal:
timing of nest searches, 597–601
Duck, grey teal:
hunting mortality, 42–48
Duck, lesser scaup:
timing of nest searches, 597–601
Duck, mallard:
bias and hunter-killed mallards, 733–740
body condition and band-recovery analysis, 209–215
body condition and sampling bias, 741–751
competitive exclusion over black ducks, 199–208
effects of transmitters on behavior, 696–703
effects of transmitters on nesting, 703–709
effects of nesting with 3 types of transmitters, 690–695
ingested experimental shot in captives, 725–732
overwater and upland nest success, 578–581
survival of females wintering in Playa Lakes, 570–577
timing of nest searches, 597–601
winter habitat in Mississippi, 562–570
Duck, mottled:
energetic and nutritional demands during molt, 224–228
Duck, northern pintail:
wintering body condition, 62–71
wintering molt patterns and nutrition, 229–238
winter distribution in North America, 582–589
survival after winter banding, 590–597

Duck, northern shoveler:
timing of nest searches, 597–601
Duck, Pacific black:
hunting mortality, 42–48
Duck, redhead:
food habits in near and offshore zones in Louisiana, 238–244
Duck, wood:
radiocesium contamination in eggs, 716–724
Review of **1988 North American wood duck symposium. Selected papers from the symposium held in St. Louis, Missouri, 20–22 February 1988,** edited by Leigh H. Fredrickson, George V. Burger, Stephen P. Havera, David A. Graber, Ronald E. Kirby, and T. Scott Taylor. Review by K. J. Reinecke, 665
winter habitat in Mississippi, 562–570
Dufour, Kevin W., C. Davison Ankney, and Patrick J. Weatherhead. Condition and vulnerability to hunting among mallards staging at Lake St. Clair, Ontario, 209–215
———, ———, and ———. Nonrepresentative sampling during waterfowl banding: emphasis on body condition, 741–751
Dugongs:
Review of **Manatees and dugongs,** by John E. Reynolds III and Daniel K. Odell. Review by J. M. Packard, 423–424
Duncan, Bob. Review of **The philosophy and practice of wildlife management, Second edition,** by Frederick F. Gilbert and Donald G. Dodds, 190–191
Dunn, James E., *see* Clark, Joseph D.
Durner, George M., and J. Edward Gates. Spatial ecology of black rat snakes on Remington Farms, Maryland, 812–826
Dzus, Elston H., and Jon M. Gerrard. Factors influencing bald eagle densities in northcentral Saskatchewan, 771–778
Eagle, bald:
contaminants and prey, 10–19
habitat quality and density, 771–778
productivity, reintroduction, double clutching, 1–9
use of Columbia River Estuary, 19–27
Ecology:
comment on improving resource sciences, 182–183
fire ecology of Key deer habitat, 914–928
reply on improving resource sciences, 184–189
Review of **A stillness in the pines. The ecology of the red-cockaded woodpecker,** by Robert W. McFarlane. Review by P. D. Doerr, 192–194
Review of **Nature conservation 2: the role of corridors,** edited by Denis A. Saunders and Richard J. Hobbs. Review by R. F. Noss, 191–192
Review of **The little green bird: the ecology of the willow flycatcher,** by Robert A. McCabe. Review by G. V. Burger, 194–195
Review of **Wildlife habitat relationships in forested ecosystems,** by David R. Patton. Review by S. D. Schemnitz, 670–671
Review of **Wetlands,** edited by Max Finlayson and Michael Moser. Review by G. W. Folkerts, 669–670
Review of **Ecology and management of coppice woodlands,** edited by G. P. Buckley. Review by D. Hill, 936–937
spatial ecology of San Joaquin kit foxes, 861–867

E

Eddleman, William R., *see* Conway, Courtney J.
Education:
comment on improving resource sciences, 182–183
reply on improving resource sciences, 182–183
Edwards, Thomas C., *see* Homer, Collin G.
Egretta tricolor, see Heron, tricolored
Elaphe o. obsoleta, see Snake, black rat
Elk:
mortality rates in Idaho, 495–502
snow depths and predation by wolves, 382–388
winter foraging in Washington, 881–890
Endemic plants:
maintenance through burning, 914–928
Equus caballus, see Horse, feral
Esler, Daniel, and J. Barry Grand. Factors influencing depredation of artificial duck nests, 244–248
Eubalaena glacialis, see Whale, right
Evans, Marc A., *see* Otis, David L.

F

Faber, William E., Åke Pehrson, and Peter A. Jordan. Seasonal use of salt blocks by mountain hares in Sweden, 842–846
Fernandez, Carmelo, and Paz Azkona. Human disturbance affects parental care of marsh harriers and nutritional status of nestlings, 602–608
Festa-Bianchet, Marco, *see* Jorgenson, Jon T.
Finland:
heavy metal accumulation in moose, 469–474
reindeer reproductive rates, 451–453
Fischer, David L., *see* Avery, Michael L.
Fisher:
dispersal of juveniles in Maine, 868–874
Fitzgerald, Patrick E., *see* Halse, Stuart A.
Flagan, R. L., *see* Kirkpatrick, J. F.
Florida:
bald eagle productivity, 1–9
benefits of fire for Key deer and endemic plants, 914–928
introduced mountain lions, 388–397
Review of **Parasites and diseases of wild mammals in Florida,** by Donald J. Forrester. Review by W. R. Davidson, 196–197
Review of **Rare and endangered biota of Florida. Volume I. Mammals,** edited by Stephen R. Humphrey. Review by G. A. Heidt, 937–938
sandhill cranes as experimental surrogates for whooping cranes, 673–679
Flycatcher, willow:
Review of **The little green bird: the ecology of the willow flycatcher,** by Robert A. McCabe. Review by G. V. Burger, 194–195
Folkerts, George W. Review of **Wetlands,** edited by Max Finlayson and Michael Moser, 669–670
Food habits:
bald eagles and contaminants, 10–19
black-tailed deer and resource partitioning, 475–494
blackbirds and insecticidal seed treatment, 652–656
effects on bald eagle density, 771–778
foraging elk during winter, 881–890

gray wolf scat analysis, 534–538
grazing impact of pronghorns, 173–181
inherent resistance and toxic bait aversion in rats, 640–647
introduced mountain lions in Florida, 388–397
lesser snow goose diets and stable isotopes, 49–54
lesser snow geese staging in Alaska, 55–61
nesting greater snow geese, 216–223
radiocesium contamination in wood ducks, 716–724
redhead ducks in near and offshore zones in Louisiana, 238–244
relative to trumpeter swan incubation and habitat quality, 709–716
resistant rats and mice, rodenticides, and antidotal effects of vitamin K, 835–841
seasonal salt use by mountain hares in Sweden, 842–846
snow depth and wolf predation, 382–388
snowshoe hares and thiram repellent on conifers, 648–651
temperature telemetry and feeding rates of seals, 514–519

Foraging:
aversions to baits in different rat strains, 640–647
red-breasted nuthatches, brown creepers and forest composition, 616–629
red-shouldered hawk home-range and habitat use in California, 258–265
Virginia big-eared bat, 539–543
wintering elk, 881–890

Forest fragmentation:
avian predation rates, 358–364

Forest management:
dusky-footed woodrats, 373–382
effects on flying ability of ring-necked pheasants, 778–782
forest stand diversity and increasing species composition, 616–629
minimizing mountain beaver damage in Oregon, 847–853
nesting Merriam's turkeys, 789–801
regulating black rat snake numbers, 812–826
restoration of forest soils after feral pig removal, 875–880
Review of **Wildlife habitat relationships in forested ecosystems,** by David R. Patton. Review by S. D. Schemnitz, 670–671
Review of **Ecology and management of coppice woodlands,** edited by G. P. Buckley. Review by D. Hill, 936–937
snowshoe hares and thiram repellent on conifers, 648–651
Townsend's chipmunks, 365–373

Fox, red:
dispersal patterns and population density, 526–533

Frace, Charles: Review of **Nature's window: Charles Frace,** by Bruce Henry Davis. Review by R. A. McCabe, 425–426

France:
Mediterranean pine vole survival, 158–163

Francisella tularensis, see Tularemia

Frederick, Peter C., Marilyn G. Spalding, and George V. N. Powell III. Evaluating methods to measure nestling survival in tricolored herons, 34–41

Fredrickson, Leigh H., *see* Heitmeyer, Mickey E.

Fredrickson, Richard J., *see* Mills, L. Scott

G

Gales, Rosemary, and Deane Renouf. Detecting and measuring food and water intake in captive seals using temperature telemetry, 514–519

Garrett, Monte G., James W. Watson, and Robert G. Anthony. Bald eagle home range and habitat use in the Columbia River Estuary, 19–27

———, *see* Anthony, Robert G.

Garton, Edward O., *see* Unsworth, James W.

Gates, J. Edward, *see* Durner, George M.

Gauthier, Gilles. Feeding ecology of nesting greater snow geese, 216–223

Gawlik, Dale E., and Keith L. Bildstein. Seasonal habitat use and abundance of loggerhead shrikes in South Carolina, 352–357

Genetics:
differences in toxic bait aversion among rat strains, 640–647
effects on ring-necked pheasant flying ability, 778–782
resistance in rats and mice, 835–841

Geographic Information System:
sage grouse, 78–84
habitat use model and black bears, 519–526

Gerrard, Jon M., *see* Dzus, Elston H.

Gibbs, James P., and Scott M. Melvin. Call-response surveys for monitoring breeding waterbirds, 27–34

Gibson, Marjorie J., *see* Bloom, Peter H.

Giesen, Kenneth M., and Clait E. Braun. Natal dispersal and recruitment of juvenile white-tailed ptarmigan in Colorado, 71–78

Gill, J. Erica, *see* Macnicoll, Alan D.

Gill, R. Bruce, *see* Neal, Andrea K.

Glaucomys volans, see Squirrel, southern flying

Gloutney, Mark L., Robert G. Clark, Alan D. Afton, and Gerry J. Huff. Timing of nest searches for upland nesting waterfowl, 597–601

Goodyear, Jeffrey D. A sonic/radio tag for monitoring dive depths and underwater movements of whales, 503–513

Goose, greater snow:
feeding ecology and nesting, 216–223

Goose, lesser snow:
diet, winter distribution, and stable isotope analysis, 49–54
food habits in Alaska, 55–61
body condition, mass-banding, and survival, 555–562

Goshawk, northern:
call-response nest survey method, 249–257

Grand, J. Barry, *see* Esler, Daniel

Grebe, pied-billed:
call response surveys, 27–34

Greenwood, Raymond J., *see* Pietz, Pamela J.

———, *see* Houston, Robert A.

Grouse, sage:
remote sensing and modelling habitat, 78–84
translocation, 85–91

Grus americana, see Crane, whooping

Grus canadensis pratensis, see Crane, Florida sandhill

Grus canadensis tabida, see Crane, greater sandhill

Gudermuth, D. F., *see* Kirkpatrick, J. F.

Guedon, Gerald, *see* Paradis, Emmanuel

Guthery, Fred S., *see* Rice, Steven M.
———, *see* Spears, Gary S.

H

Habitat:
associations of red-cockaded woodpecker cavity-tree sites, 122–128
avian predation in forested landscape, 358–364
benefits of fire for Key deer, 914–928
black bear use and geographic information system, 519–526
competition between red-cockaded woodpeckers and southern flying squirrels, 329–335
effects of quality on bald eagle density, 771–778
effects on survival of female mallards wintering in Playa Lakes, 570–577
effects on wild turkey hen survival, 783–789
effects on black-tailed deer herd composition counts, 890–897
factors affecting successful nesting of Merriam's turkeys, 789–801
human impact and nesting burrowing owls, 612–616
mallard nest success in Manitoba, 578–581
model for northern bobwhite quail, 92–102
molting mottled ducks and body condition, 224–228
mortality rates of elk in Idaho, 495–502
mountain beaver recolonization in Oregon, 847–853
nocturnal use by desert mule deer, 897–904
optimum seral stage for northern bobwhite quail, 805–811
pattern around northern spotted owl locations, 302–315
quality relative to trumpeter swan incubation and habitat quality, 709–716
radiocesium contamination in wood ducks and eggs, 716–724
raptors and common ravens nesting on transmission towers, 271–281
resource partitioning in black-tailed deer, 475–494
Review of **Techniques for wildlife habitat management of wetlands,** by Neil F. Payne. Review by R. L. Pederson, 190
Review of **Wildlife habitat relationships in forested ecosystems,** by David R. Patton. Review by S. D. Schemnitz, 670–671
Review of **Wildlife-habitat relationships: concepts and applications,** by Michael L. Morrison, Bruce G. Marcot, and R. William Mannan. Review by B. R. Noon, 934–936
selection by sage grouse, 78–84
suitability for Williamson's sapsucker, 322–328
use by bald eagles, 19–27
use by loggerhead shrikes in South Carolina, 352–357
use by nesting loggerhead shrikes in Alberta, 346–352
use by introduced mountain lions in Florida, 388–397
use by pileated woodpeckers, 335–345
use by Townsend's chipmunk populations in Oregon, 365–373
use by dusky-footed woodrats in California, 373–382
use by nesting upland sandpipers, 291–301
use by northern spotted owls, 315–321
use by red-shouldered hawks in California, 258–265
use by Yuma clapper rails, 282–290
use by red-breasted nuthatches and brown creepers, 616–629
use by Virginia big-eared bat for foraging, 539–543
use by white-tailed deer in Idaho, 904–913
use by black rat snakes, 812–826
use of powerlines by ravens and red-tailed hawks, 266–271
wetland fertility and waterfowl competition, 199–208
winter foraging by elk, 881–890
winter microhabitat use by mallards and wood ducks, 562–570
wintering northern pintails, 847–853
Hacker, Amy L., and Bruce E. Coblentz. Habitat selection by mountain beavers recolonizing Oregon coast range clearcuts, 847–853
Hagedorn, Bruce W., *see* Belden, Robert C.
Felis concolor coryi, see Lion, mountain
Felis concolor stanleyana, *see* Lion, mountain
Haliaeetus leucocephalus, *see* Eagle, bald
Haller, Heinrich, *see* Breitenmoser, Urs
Halse, Stuart A., Ian R. James, Patrick E. Fitzgerald, Dean A. Diepeveen, and Donald R. Munro. Survival and hunting mortality of Pacific black ducks and grey teal, 42–48
Hanebury, Louis R., *see* Conway, Courtney J.
Haramis, G. Michael, Dennis G. Jorde, and Christine M. Bunck. Survival of hatching-year female canvasbacks wintering on Chesapeake Bay, 763–771
Hare, mountain:
seasonal salt use in Sweden, 842–846
Hare, snowshoe:
aversion to thiram repellent on conifers, 648–651
Harrier, marsh:
nesting and human impact, 602–608
Hawaii:
feral pig removal affects soil microarthropod density, 875–880
Hawk, red-shouldered:
home-range and habitat use in California, 258–265
habitat, populations, and power lines, 266–271
Hawley, Alex W. L., *see* Rangen, Sheila A.
Hayes, Charles L., and Paul R. Krausman. Nocturnal activity of female desert mule deer, 897–904
Heidt, Gary A. Review of **Rare and endangered biota of Florida. Volume I. Mammals,** edited by Stephen R. Humphrey, 937–938
Heitmeyer, Mickey E., Leigh H. Fredrickson, and Dale D. Humburg. Further evidence of biases associated with hunter-killed mallards, 733–740
Helle, Timo, *see* Kojola, Ilpo
Henson, Paul, and James A. Cooper. Trumpeter swan incubation in areas of differing food quality, 709–716
Heron, tricolored:
reproduction and nestling survival, 34–41

Herpestes ichneumon, see Mongoose, Egyptian
Hess, Thomas J., Jr., *see* Moorman, Thomas E.
Hestbeck, Jay B. Overwinter distribution of northern pintail populations in North America, 582–589
———. Survival of northern pintails banded during winter in North America, 1950–88, 590–597
Hill, David. Review of **Ecology and management of coppice woodlands,** edited by G. P. Buckley, 936–937
Himantopus himantopus, see Stilt, pied
Himantopus novaezelandiae, see Stilt, black
Hobson, Keith A. *see* Alisauskas, Ray T.
Hodorff, Robert A., *see* Rumble, Mark A.
Hohman, William L., Ronald D. Pritchert, Joseph L. Moore, and Dorcas O. Schaeffer. Survival of female canvasbacks wintering in coastal Louisiana, 758–762
Holthausen, Richard S., *see* Bull, Evelyn L.
Home range:
analysis for small animals, 680–689
bald eagles in Columbia River Estuary, 19–27
black rat snakes, 812–826
desert mule deer during nocturnal activity, 897–904
dispersal of juvenile fishers, 868–874
European lynx in Swiss Alps, 135–144
pileated woodpeckers in Oregon, 335–345
red-shouldered hawk, 258–265
San Joaquin kit foxes, 861–867
wintering elk, 881–890
Yuma clapper rails, 282–290
Homer, Collin G., Thomas C. Edwards, Jr., R. Douglas Ramsey, and Kevin P. Price. Use of remote sensing methods in modelling sage grouse winter habitat, 78–84
Horse, feral:
field pregnancy tests, 168–173
Houston, Robert A., and Raymond J. Greenwood. Effects of radio transmitters on nesting captive mallards, 703–709
Howerter, David W., *see* Rotella, Jay J.
Hudson, Robert J., *see* Rangen, Sheila A.
Huff, Gerry J., *see* Gloutney, Mark L.
Huggard, David J. Effect of snow depth on predation and scavenging by gray wolves, 382–388
Human impacts:
bald eagles, 19–27
lesser snow geese, 55–61
Review of **Rare and endangered biota of Florida. Volume I. Mammals,** edited by Stephen R. Humphrey. Review by G. A. Heidt, 937–938
desert mule deer activity, 897–904
effects on parental care of marsh harriers, 602–608
grazing effects on nesting loggerhead shrikes, 346–352
grazing effects on nesting upland sandpipers, 291–301
insecticides and bird poisoning, 630–639
nesting red-shouldered hawk, 258–265
nesting raptors and ravens, 271–281
radiocesium contamination in wood duck eggs, 716–724
ravens and red-tailed hawks, 266–271
Review of **Manatees and dugongs,** by John E. Reynolds III and Daniel K. Odell. Review by J. M. Packard, 423–424
timing nest searches for waterfowl, 597–601
vehicular traffic on burrowing owls, 612–616
Humburg, Dale D., *see* Heitmeyer, Mickey E.
Humphrey, Stephen R., *see* Carlson, Peter C.
———, *see* Jodice, Patrick G. R.
Hundertmark, Kris J., *see* Schwartz, Charles C.
Hunter, Malcolm L., *see* Rudnicky, Tamia C.
Hunter surveys:
harvest estimate precision, 129–134
Hunter, William C. Review of **Birds in jeopardy: the imperiled and extinct birds of the United States and Canada, including Hawaii and Puerto Rico,** by P. R. Ehrlich, D. S. Dobkin, and D. Wheye, 938–940
Hunting:
band-recovery analysis of mallards in Ontario, 209–215
bias and hunter-killed mallards, 733–740
effects of ingested experimental shot in captive mallards, 725–732
effects on mortality rates of elk, 495–502
effects on survival of black swans, 549–555
effects on survival of northern pintails, 590–597
human consumption of heavy metals from moose in Finland, 469–474
mortality in Australian ducks, 42–48
potential effects of autumn hunting of turkey hens, 783–789
quality relative to ring-necked pheasant flying ability, 778–782
trophy production and ewe harvest, 429–435
Hupp, Jerry W., *see* Brackney, Alan W.
Hurst, George A., *see* Palmer, William E.
Stys, John E., *see* Palmer, William E.
Hyvarinen, Heikki, and Tuire Nygren. Accumulation of copper in the liver of moose in Finland, 469–474

I

Idaho:
elk mortality, 495–502
translocated sage grouse in Idaho, 85–91
white-tailed deer habitat use, 904–913
Inglis, Ian R., *see* Shepherd, David S.
Irwin, Larry L., John G. Cook, Douglas E. McWhirter, Scott G. Smith, and Edward B. Arnett. Assessing winter dietary quality in bighorn sheep via fecal nitrogen, 413–421
Ixobrychus exilis, see Bittern, least
James, Frances C. Review of **Bird population studies: relevance to conservation and management,** edited by C. M. Perrins, J. D. Lebreton, and G. J. M. Hirons, 665–667

J

James, Ian R., *see* Halse, Stuart A.
Jodice, Patrick G. R., and Stephen R. Humphrey. Activity and diet of an urban population of Big Cypress fox squirrels: a reply, 930–933
Jordan, Peter A., *see* Faber, William E.
Jorde, Dennis G., *see* Haramis, G. Michael
Jorgenson, Jon T., Marco Festa-Bianchet, and William D. Wishart. Harvesting bighorn ewes: consequences for population size and trophy ram production, 429–435

K

Kaminski, Richard M., Robert W. Alexander, and Bruce D. Leopold. Wood duck and mallard winter microhabitats in Mississippi hardwood bottomlands, 562–570
Kawashima, Jack Y., *see* Knight, Richard L.
Keegan, Thomas W., and John A. Crawford. Renesting by Rio Grande wild turkeys after brood loss, 801–804
Kelly, Jeffrey F., Sandra M. Pletschet, and David M. Leslie. Habitat associations of red-cockaded woodpecker cavity trees in an old-growth forest of Oklahoma, 122–128
Kennamer, Robert A., Clark D. McCreedy, and I. Lehr Brisbin, Jr. Patterns of radiocesium contamination in eggs of free-ranging wood ducks, 716–724
Kennedy, Patricia L., and Dale W. Stahlecker. Responsiveness of nesting northern goshawks to taped broadcasts of 3 conspecific calls, 249–257
Kirkpatrick, J. F., D. F. Gudermuth, R. L. Flagan, J. C. McCarthy, and B. L. Lasley. Remote monitoring of ovulation and pregnancy of Yellowstone bison, 407–412
———, Bill L. Lasley, Susan E. Shideler, Janet F. Roser, and John W. Turner, Jr. Non-instrumented immunoassay field tests for pregnancy detection in free-roaming feral horses, 168–173
Kit fox, San Joaquin:
reproduction and habitat, 861–867
Knight, Richard L. On improving the natural resources and environmental sciences: a comment, 182–183
———, and Jack Y. Kawashima. Responses of raven and red-tailed hawk populations to linear right-of-ways, 266–271
Kochert, Michael N., *see* Steenhof, Karen
Koerth, Benjamin H., *see* Rice, Steven M.
Kojola, Ilpo, and Timo Helle. Calf harvest and reproductive rate of reindeer, 451–453
Krapu, Gary L., *see* Pietz, Pamela J.
Krausman, Paul R., *see* Hayes, Charles L.
Krohn, William B., *see* Arthur, Stephen M.
Kruse, Arnold D., *see* Bowen, Bonnie S.
Kuck, Lonn, *see* Unsworth, James W.

L

Lacki, Michael J., Michael D. Adam, and Laura G. Shoemaker. Characteristics of feeding roosts of Virginia big-eared bats in Daniel Boone National Forest, 539–543
Lagopus leucurus, see Ptarmigan, white-tailed
Lanius ludovicianus, see Shrike, loggerhead
Lasley, Bill L., *see* Kirkpatrick, J. F.
Lehmkuhl, John F., and Martin G. Raphael. Habitat pattern around northern spotted owl locations on the Olympic Peninsula, Washington, 302–315
Leopold, Bruce D., *see* Kaminski, Richard M.
Lepus americanus, see Hare, snowshoe
Lepus timidus, see Hare, mountain
Leslie, David M., *see* Kelly, Jeffrey F.
Leslie, Jr., David M. Review of **Wildlife research and management in the national parks.** By R. Gerald Wright. 424–425
Liewer, James C., *see* Torbit, Stephen C.
Lion, mountain:
introduction into northern Florida, 388–397
Loeb, Susan C. Use and selection of red-cockaded woodpecker cavities by southern flying squirrels, 329–335
Lokemoen, John T., *see* Pietz, Pamela J.
Louisiana:
redhead ducks in near and offshore zones, 238–244
sex ratios of wintering canvasbacks, 751–758
survival of wintering female canvasbacks, 758–762
Lutz, R. Scott, *see* Plumpton, David L.
Lynx, European:
reintroduction and predation in Swiss Alps, 135–144
Lynx lynx, see Lynx, European

M

MacNicoll, Alan D., and J. Erica Gill. Vitamin K_3 in feedstuffs: antidotal effects in captive anticoagulant-resistant rats and mice, 835–841
Maehr, David S. Activity and diet of an urban population of Big Cypress fox squirrels: a comment, 929–930
Maine:
dispersal of juvenile fishers, 868–874
Manatees:
Review of **Manatees and dugongs,** by John E. Reynolds III and Daniel K. Odell. Review by J. M. Packard, 423–424
Manitoba:
mallard nest success, 578–581
Martes pennanti, see Fisher
Martin, Thomas E., *see* Conway, Courtney J.
Maryland:
black rat snake spatial ecology, 812–826
McCabe, Robert A. Review of **Masterpieces of bird art: 700 years of ornithological illustrations.** By R. F. Pasquier and J. Farrand, Jr., 426–427
———. Review of **Nature's window: Charles Frace.** By Bruce Henry Davis, 425–426
McCarthy, J. C., *see* Kirkpatrick, J. F.
McCorquodale, Scott M. Winter foraging behavior of elk in the shrub-steppe of Washington, 881–890
McCrary, Michael D., *see* Bloom, Peter H.
McCreedy, Clark D., *see* Kennamer, Robert A.
McCullough, Dale R. Variation in black-tailed deer herd composition counts, 890–897
McDonald, Lyman L., *see* Otis, David L.
McWhirter, Douglas E., *see* Irwin, Larry L.
Megaptera novaeangliae, see Whale, humpback
Meleagris gallopavo merriami, see Turkey, Merriam's
Meleagris gallopavo, see Turkey, wild
Melvin, Scott M. *see* Gibbs, James P.
Merendino, M. Todd, D. Davison Ankney, and Darrell G. Dennis. Increasing mallards, decreasing American black ducks: more evidence for cause and effect, 199–208
Messier, Franaaois, *see* Virgl, John A.
Michot, Thomas C., and Andre J. Nault. Diet differences in redheads from nearshore and offshore zones in Louisiana, 238–244

Microarthropods:
feral pig removal affects soil microarthropod density, 875–880
Microtus duodecimcostatus, see Vole, Mediterranean pine
Middleton, Alex L. A. Review of **The birds of British Columbia. Vol. 1. Nonpasserines: introduction, loons through waterfowl,** edited by R. Wayne Campbell, Neil K. Dawe, Ian McTaggart-Cowan, John M. Cooper, Gary W. Kaiser, and Michael C. E. McNall, 667–668
Migration:
cross-fostered New Zealand black stilts, 608–611
experimental release of cranes, 673–679
routes of band-tailed pigeons, 103–112
Miller, Michael W., *see* Ringelman, James K.
Mills, L. Scott, Richard J. Fredrickson, and Bruce B. Moorhead. Characteristics of old-growth forests associated with northern spotted owls in Olympic National Park, 315–321
Mississippi:
mallard and wood duck winter microhabitats, 562–570
wild turkey hen survival in pine plantations, 783–789
Modelling:
black bear habitat use and geographic information system, 519–526
bobwhite habitat and precipitation, 92–102
Mediterranean pine vole population, 158–163
mountain beaver damage, 847–853
optimum seral stage for northern bobwhite quail, 805–811
predicting white-tailed deer habitat use, 680–689
sage grouse habitat, 78–84
winter foraging by elk, 904–913
Molothrus ater, see Cowbird, brown-headed
Molt:
mottled ducks and body condition, 224–228
wintering northern pintails and nutrition, 229–238
Monfort, Steven L., Charles C. Schwartz, and Samuel K. Wasser. Monitoring reproduction in captive moose using urinary and fecal steroid metabolites, 400–407
Mongoose, Egyptian:
activities in Spain, 164–167
Monte Carlo simulation:
use in parameter estimation, 543–548
Moore, Joseph L., *see* Hohman, William L.
Moorhead, Bruce B., *see* Mills, L. Scott
Moorman, Thomas E., Guy A. Baldassarre, and Thomas J. Hess, Jr. Carcass mass and nutrient dynamics of mottled ducks during remigial molt, 224–228
Moose:
heavy metal accumulation in moose in Finland, 469–474
monitoring reproductive activity, 400–407
reproductive characteristics in Alaska, 454–468
Morrison, Michael L., *see* Adams, Elizabeth M.
Mortality:
additive/compensatory in bighorn sheep, 429–435
Australian ducks, 42–48
elk in Idaho, 495–502
European starlings and repellents for cyanide ponds, 657–664
female mallards wintering in Playa Lakes, 570–577
insecticides and bird poisoning, 630–639
relative to sex ratios of wintering canvasbacks, 751–758
wintering female canvasbacks, 758–762
wintering hatching-year female canvasbacks, 763–771
Mouse, house:
rodenticides, resistance, and antidotal effects of vitamin K, 835–841
Movements:
band-tailed pigeon migratory patterns, 103–112
black rat snakes, 812–826
desert mule deer nocturnal activity, 897–904
detecting movements in lesser snow geese, 49–54
dispersal of juvenile fishers in Maine, 868–874
foraging elk during winter, 881–890
mongoose speed, 164–167
red-shouldered hawk home-range and habitat use in California, 258–265
reintroduced European lynx in Swiss Alps, 135–144
released cranes, 673–679
San Joaquin kit foxes, 861–867
sonic/radio tag for whales, 503–513
translocated sage grouse in Idaho, 85–91
Munro, Donald R., *see* Halse, Stuart A.
Murray, David P., *see* Reed, Christine E. M.
Mus domesticus, see Mouse, house
Musil, David D., John W. Connelly, and Kerry P. Reese. Movements, survival, and reproduction of sage grouse translocated into central Idaho, 85–91
Muskrat:
body size and condition indices, 854–860

N

Naef-Daenzer, Beat. A new transmitter for small animals and enhanced methods of home-range analysis, 680–689
Nault, Andre J., *see* Michot, Thomas C.
Neal, Andrea K., Gary C. White, R. Bruce Gill, Dale F. Reed, and James H. Olterman. Evaluation of mark-resight model assumptions for estimating mountain sheep numbers, 436–450
Neotoma fuscipes, see Woodrat, dusky-footed
Nesbitt, Stephen A., and James W. Carpenter. Survival and movements of greater sandhill cranes experimentally released in Florida, 673–679
Nesting:
avian predation in forested landscape, 358–364
bald eagle egg removal, 1–9
bald eagle habitat quality and density, 771–778
density and depredation of artificial nests, 244–248
ecology of Merriam's turkeys, 789–801
effects of transmitters on captive nesting mallards, 703–709
greater snow geese and food habits, 216–223
habitat for Williamson's sapsuckers, 322–328
habitat of loggerhead shrikes, 352–357
habitat of loggerhead shrikes, 346–352
habitats for nesting mallards in Manitoba, 578–581
human impact and burrowing owls, 612–616
marsh harriers and human impact, 602–608
nestling survival and mobility in tricolored herons, 34–41
northern goshawk call-response survey method, 249–257

northern spotted owls, 315–321
raptors and common ravens on transmission towers, 271–281
Rio Grande wild turkeys renesting after brood loss, 801–804
timing nest searches for waterfowl, 597–601
trumpeter swan incubation and habitat quality, 709–716
upland sandpipers and grazing in North Dakota, 291–301
wild mallards with 3 types of transmitters, 690–695
New Zealand:
black swan banding models, 549–555
survival and cross-fostering New Zealand black stilts, 608–611
Nilsson, Ron J., *see* Reed, Christine E. M.
Noon, Barry R., *see* Sakai, Howard F.
———. Review of **Wildlife-habitat relationships: concepts and applications,** by Michael L. Morrison, Bruce G. Marcot, and R. William Mannan, 934–936
North America:
northern pintail winter distribution, 582–589
Review of **1988 North American wood duck symposium. Selected papers from the symposium held in St. Louis, Missouri, 20–22 February 1988,** edited by Leigh H. Fredrickson, George V. Burger, Stephen P. Havera, David A. Graber, Ronald E. Kirby, and T. Scott Taylor. Review by K. J. Reinecke, 665
Review of **Birds in jeopardy: the imperiled and extinct birds of the United States and Canada, including Hawaii and Puerto Rico,** by P. R. Ehrlich, D. S. Dobkin, and D. Wheye. Review by W. C. Hunter, 938–940
survival of winter banded northern pintails, 590–597
North Dakota:
upland sandpiper nesting and grazing, 291–301
Noss, Reed F. Review of **Nature conservation 2: the role of corridors,** edited by Denis A. Saunders and Richard J. Hobbs, 191–192
Novesky, Elizabeth, *see* Okoniewski, Joseph C.
Nuthatch, red-breasted:
population density and forest composition, 616–629
Nutrition:
dynamics during molt in mottled ducks, 224–228
fecal indicators of nutrition in Rocky Mountain sheep, 413–421
food selection and lesser snow geese, 55–61
Key deer habitat, 914–928
nesting greater snow geese, 216–223
reserves in wintering northern pintails, 62–71
resistant rats and mice, rodenticides, and antidotal effects of vitamin K, 835–841
seasonal salt use by mountain hares in Sweden, 842–846
wintering northern pintails and molt patterns, 229–238
Nygren, Tuire, *see* Hyvarinen, Heikki

O

Odocoileus hemionus, see Deer, mule
Odocoileus hemionus columbianus, see Deer, black-tailed
Odocoileus hemionus crooki, see Deer, desert mule
Odocoileus virginianus, see Deer, white-tailed
Odocoileus virginianus clavium, see Deer, Key
Oklahoma:
red-cockaded woodpecker habitat, 122–128
Okoniewski, Joseph C., and Elizabeth Novesky. Bird poisonings with cyclodienes in suburbia: links to historic use on turf, 630–639
Old growth forests:
abundance of dusky-footed woodrats, 373–382
characteristics associated with northern spotted owls, 315–321
in Oklahoma, 122–128
management for pileated woodpeckers, 335–345
management for Townsend's chipmunks, 365–373
Olterman, James H., *see* Neal, Andrea K.
Ondatra zibethicus, see Muskrat
Ontario:
body condition and band-recovery analysis, 209–215
Oregon:
mountain beaver habitat and recolonization, 847–853
pileated woodpecker habitat, 335–345
Townsend's chipmunk population characteristics and habitat, 365–373
Organochlorines:
insecticides and bird poisoning 630–639
Otis, David L., Lyman L. McDonald, and Marc A. Evans. Parameter estimation in encounter sampling surveys, 543–548
Ovis canadensis, see Sheep, mountain and Sheep, bighorn
Ovis canadensis canadensis, see Sheep, Rocky Mountain bighorn
Owl, burrowing:
human impact and nesting behavior, 612–616
Owl, northern spotted:
habitat and movements in old-growth forest, 315–321
habitat fragmentation in Washington, 302–315
dusky-footed woodrat as important prey species, 373–382

P

Packard, Jane M. Review of **Manatees and dugongs.** By John E. Reynolds III and Daniel K. Odell. 423–424
Palmer, William E., George A. Hurst, John E. Stys, David R. Smith, and John D. Burk. Survival rates of wild turkey hens in loblolly pine plantations in Mississippi, 783–789
Palomares, Francisco, and Miguel Delibes. Determining activity types and budgets from movement speed of radio-marked mongooses, 164–167
Paradis, Emmanuel, Gerald Guedon, and Roger Pradel. Estimation of sex and age related survival rates in a microtine population, 158–163
Paragi, Thomas F., *see* Arthur, Stephen M.
Parasites:
Review of **Parasites and diseases of wild mammals in Florida,** by Donald J. Forrester. Review by W. R. Davidson, 196–197
Parrots:
Review of **New world parrots in crisis: solutions from conservation biology,** by S. R. Beissinger

and N. F. R. Snyder. Review by D. Brunning, 667
Parus ater, see Tit, coal
Parus caeruleus, see Tit, blue
Parus cristatus, see Tit, crested
Parus major, see Tit, great
Pauley, George R., James M. Peek, and Peter Zager. Predicting white-tailed deer habitat use in northern Idaho, 904–913
Pederson, Roger L. Review of **Techniques for wildlife habitat management of wetlands,** by Neil F. Payne, 190
Peek, James M., *see* Pauley, George R.
Pehrson, aake, *see* Faber, William E.
Perry, Susan M., *see* Crocker, David R.
Pesticides:
blackbirds and insecticidal seed treatment, 652–656
insecticides and bird poisoning, 630–639
Phasianus colchicus, see Pheasant, ring-necked
Pheasant, ring-necked:
flying ability and hunting in United Kingdom, 778–782
Philopatry:
band-tailed pigeons, 103–112
white-tailed ptarmigan, 71–78
Philosophy:
comment on improving natural resource sciences, 182–183
comment on conservation of Big Cypress fox squirrels, 929–930
reply on improving natural resource sciences, 182–183
reply on conservation of Big Cypress fox squirrels, 930–933
Review of **The philosophy and practice of wildlife management,** Second edition, by Frederick F. Gilbert and Donald G. Dodds. Review by B. Duncan, 190–191
Review of **Wildlife-habitat relationships: concepts and applications,** by Michael L. Morrison, Bruce G. Marcot, and R. William Mannan. Review by B. R. Noon, 934–936
Review of **Protected landscapes: a guide for policy-makers and planners,** by P. H. C. Lucas. Review by H. A. Raffaele, 934
Phoca groenlandica, see Seal, harp
Physiology:
body size and condition indices in muskrats, 854–860
effects of ingested experimental shot in captive mallards, 725–732
heavy metal accumulation in moose, 469–474
resistant rats and mice, rodenticides, and antidotal effects of vitamin K, 835–841
seasonal salt requirements of mountain hares, 842–846
urinary cortisol indices of winter stress in mule deer, 397–399
Picoides borealis, see Woodpecker, red-cockaded
Pietz, Pamela J., Gary L. Krapu, Raymond J. Greenwood, and John T. Lokemoen. Effects of harness transmitters on behavior and reproduction of wild mallards, 696–703
Pig, feral:
removal affects soil microarthropod density, 875–880
Review of **Wild pigs of the United States: their history, morphology, and current status,** by John J. Mayer and I. Lehr Brisbin, Jr. Review by H. L. Stribling, 424
Pigeon, band-tailed:
movement and philopatry in Colorado, 103–112
Plecotus townsendii virginianus, see Bat, Virginia big-eared
Pletschet, Sandra M., *see* Kelly, Jeffrey F.
Plumpton, David L., and R. Scott Lutz. Influence of vehicular traffic on time budgets of nesting burrowing owls, 612–616
Podilymbus podiceps, see Grebe, pied-billed
Population:
abundance of loggerhead shrikes in South Carolina, 352–357
analysis of winter banded northern pintails, 590–597
assessment of northern spotted owls, 302–315
bald eagle habitat quality and density, 771–778
bighorn sheep dynamics and ewe harvest, 429–435
black-tailed deer herd composition counts, 890–897
breeding waterbird surveys, 27–34
characteristics of Townsend's chipmunks in second and old-growth forests, 365–373
cottontail rabbit population regulated by disease, 144–157
dusky-footed woodrat density estimates and northern spotted owls in California, 373–382
dynamics in Mediterannean pine voles, 158–163
effects of hunting on elk, 495–502
effects of seral stage on northern bobwhite quail productivity, 805–811
estimates for mountain sheep using mark-resight, 436–450
estimation using taped northern goshawk calls, 249–257
nesting ecology of Merriam's turkeys in Black Hills, 789–801
northern pintail winter distribution, 582–589
nesting raptors and ravens, 271–281
ravens and red-tailed hawks along powerlines, 266–271
red fox dispersal relative to density, 526–533
reduction and effects on reindeer reproductive rate, 451–453
Review of **Wisconsin birdlife population and distribution: past and present,** by Samuel D. Robbins, Jr. Review by D. H. Rusch, 194–195
Review of **Bird population studies: relevance to conservation and management,** edited by C. M. Perrins, J.D. Lebreton, and G. J. M. Hirons. Review by F. C. James, 665–667
Rio Grande wild turkeys renesting after brood loss, 801–804
San Joaquin kit foxes relative to prey availability, 861–867
white-tailed ptarmigan density and dispersal, 71–78
Yuma clapper rail surveys, 282–290
Porzana carolina, see Sora
Powell, George V. N. III, *see* Frederick, Peter C.
Pradel, Roger, *see* Paradis, Emmanuel
Predation:
gray wolf scat analysis equation, 534–538
gray wolves, diet composition, and snow depth, 382–388
on artificial bird nests in forested areas, 358–364

on artificial duck nests, 244–248
on nesting Merriam's turkeys, 789–801
reintroduced European lynx in Swiss Alps, 135–144
San Joaquin kit foxes relative to prey availability,
Prescott, David R. C., and Douglas M. Collister. Characteristics of occupied and unoccupied loggerhead shrike territories in southeastern Alberta, 346–352
Price, Kevin P., *see* Homer, Collin G.
Pritchert, Ronald D., *see* Hohman, William L.
Ptarmigan, white-tailed:
density and dispersal in Colorado, 71–78

Q

Quail, northern bobwhite:
precipitation-habitat model, 92–102
habitat and productivity, 805–811

R

R. Bruce Gill, *see* Torbit, Stephen C.
Rabbit, cottontail:
tularemia regulating population, 144–157
Radio telemetry:
black rat snake spatial ecology, 812–826
effects on wild nesting mallards, 690–695
effects of transmitters on captive nesting mallards, 703–709
effects on behavior of wild mallards, 696–703
Egyptian mongooses in Spain, 164–167
elk, 495–502
nesting ecology of Merriam's turkeys in Black Hills, 789–801
Rio Grande wild turkeys renesting after brood loss, 801–804
sage grouse habitat, 78–84
sonic/radio tag for whales, 503–513
survival of female mallards wintering in Playa Lakes, 570–577
survival and movements of released cranes, 673–679
survival of wintering hatching-year female canvasbacks, 763–771
survival of wintering female canvasbacks, 758–762
temperature telemetry and feeding rates of seals, 514–519
translocated sage grouse, 85–91
transmitter design and home-range analysis for small animals, 680–689
tricolored heron nestling survival, 34–41
wild turkey hen survival in pine plantations, 783–789
black-tailed deer and resource partitioning, 475–494
Raffaele, Herbert A. Review of **Protected landscapes: a guide for policy-makers and planners,** by P. H. C. Lucas, 934
Rail, Virginia:
call response surveys, 27–34
Rail, Yuma clapper:
vocalization rate and habitat use, 282–290
Ralls, Katherine, *see* White, Patrick J.
Rallus limicola, see Rail, Virginia
Rallus longirostris yumanensis, see Rail, Yuma clapper
Ramsey, R. Douglas, *see* Homer, Collin G.
Rangen, Sheila A., Alex W. L. Hawley, and Robert J. Hudson. Response of captive snowshoe hares to thiram-treated conifers, 648–651
Rangifer tarandus tarandus, see Reindeer
Raphael, Martin G., *see* Lehmkuhl, John F.
Strix occidentalis caurina, see Owl, northern spotted
Raptors:
nesting success on transmission towers, 271–281
Rat, Norway:
inherent resistance and toxic bait aversion, 640–647
rodenticides, resistance, and antidotal effects of vitamin K, 835–841
Rattus norvegicus, see Rat, Norway
Raven, common:
nesting on transmission towers, 271–281
habitat, populations, and power lines, 266–271
Reed, Christine E. M., Ron J. Nilsson, and David P. Murray. Cross-fostering New Zealand's black stilt, 608–611
Reed, Dale F., *see* Neal, Andrea K.
Reese, Kerry P. *see* Musil, David D.
Reindeer:
reproductive rates in Finland, 451–453
Reinecke, Kenneth J. Review of **1988 North American wood duck symposium. Selected papers from the symposium held in St. Louis, Missouri, 20–22 February 1988,** edited by Leigh H. Fredrickson, George V. Burger, Stephen P. Havera, David A. Graber, Ronald E. Kirby, and T. Scott Taylor, 665
Remote monitoring:
bison ovulation in Yellowstone, 407–412
captive moose reproduction, 400–407
fecal indicators of nutritional status of Rocky Mountain sheep, 413–421
black bear habitat use, 519–526
modelling sage grouse habitat, 78–84
Renouf, Deane, *see* Gales, Rosemary
Repellents:
blackbirds and insecticidal seed treatment, 652–656
rock doves, 113–122
snowshoe hares and thiram repellent on conifers, 648–651
use in cyanide ponds, 657–664
Reply:
improving resource sciences, 184–189
urban Big Cypress fox squirrels, 930–933
Reproduction:
Alaskan moose reproductive characteristics, 454–468
bald eagle egg removal, 1–9
bald eagles and contaminants, 10–19
effects of availability and quality of feeding sites in greater snow geese, 216–223
effects of transmitters on behavior of wild mallards, 696–703
field pregnancy tests for wild horses, 168–173
heavy metal accumulation in moose in Finland, 469–474
marsh harriers and human impact, 602–608
monitoring bison ovulation in Yellowstone, 407–412
monitoring captive moose pregnancy, 400–407
northern bobwhite quail and habitat, 805–811
northern spotted owls, 302–315
reindeer in Finland, 451–453

Rio Grande wild turkeys renesting after brood loss, 801–804
San Joaquin kit fox habitat relative to prey availability, 861–867
seasonal salt requirements of mountain hares, 842–846
survival and cross-fostering New Zealand black stilts, 608–611
translocated sage grouse in Idaho, 85–91
tricolored heron, 34–41
wintering northern pintails, 62–71
Rice, Steven M., Fred S. Guthery, G. Steve Spears, Stephen J. DeMaso, and Benjamin H. Koerth. A precipitation-habitat model for northern bobwhites on semiarid rangeland, 92–102
———, *see* Spears, Gary S.
Ringelman, James K., Michael W. Miller, and William F. Andelt. Effects of ingested tungsten-bismuth-tin shot on captive mallards, 725–732
Robertson, Peter A., Douglas R. Wise, and Karen A. Blake. Flying ability of different pheasant strains, 778–782
Rockwell, Robert F., *see* Williams, Tony D.
Romesburg, H. Charles. On improving the natural resources and environmental sciences: a reply, 184–189
Roosting:
habitat for northern spotted owls, 315–321
habitats of Virginia big-eared bat, 539–543
Roppe, Jerry A., *see* Steenhof, Karen
Rosenberg, Daniel K., and Robert G. Anthony. Differences in Townsend's chipmunk populations between second- and old-growth forests in western Oregon, 365–373
Roser, Janet F., *see* Kirkpatrick, Jay F.
Rotella, Jay J., David W. Howerter, Tomasz P. Sankowski, and James H. DeVries. Nesting effort by wild mallards with 3 types of radio transmitters, 690–695
———, *see* Arnold, Todd W.
Rudnicky, Tamia C., and Malcolm L. Hunter, Jr. Avian nest predation in clearcuts, forests, and edges in a forest-dominated landscape, 358–364
Rumble, Mark A., and Robert A. Hodorff. Nesting ecology of Merriam's turkeys in the Black Hills, South Dakota, 789–801
Rusch, Donald H. Review of **Wisconsin birdlife population and distribution: past and present,** by Samuel D. Robbins, Jr., 194–195

S

Sakai, Howard F., and Barry R. Noon. Dusky-footed woodrat abundance in different-aged forests in northwestern California, 373–382
Saltz, David, and Dane E. Cook. Effect of time and snow dilution on cortisol: creatinine ratios in mule deer urine, 397–399
Sampling:
mallard body condition and sampling bias, 741–751
post-stratification and bias reduction, 827–834
Sandpiper, upland:
nest density and grazing in North Dakota, 291–301
Sankowski, Tomasz P., *see* Rotella, Jay J.
Sapsucker, Williamson's:
habitat suitability index, 322–328
Sargeant, Alan B., *see* Allen, Stephen H.
Saskatchewan:
bald eagle habitat quality and density, 771–778
Scanlon, Clare B., *see* Crocker, David R.
Schaeffer, Dorcas O., *see* Hohman, William L.
Schemnitz, Sanford D. Review of **Wildlife habitat relationships in forested ecosystems,** by David R. Patton, 670–671
Schroeder, Michael A., and Clait E. Braun. Movement and philopatry of band-tailed pigeons captured in Colorado, 103–112
Schuler, Carol A., *see* Anthony, Robert G.
Schwartz, Charles C., *see* Monfort, Steven L.
———, and Kris J. Hundertmark. Reproductive characteristics of Alaskan moose, 454–468
Sciurus niger avicennia, see Squirrel, Big Cypress fox
Scott, Michael D., *see* Unsworth, James W.
Seal, harp:
temperature telemetry and feeding rates, 514–519
Shah, Pankaj S., *see* Clark, Larry
Sheeley, Douglas G., *see* Smith, Loren M.
Sheep, bighorn:
ewe harvest, trophy rams, and population change, 429–435
Sheep, mountain:
mark-resight model and populations, 436–450
Sheep, Rocky Mountain bighorn:
fecal indicators of nutritional status, 413–421
Shepherd, David S., and Ian R. Inglis. Toxic bait aversions in different rat strains exposed to an acute rodenticide, 640–647
Shideler, Susan E., *see* Kirkpatrick, Jay F.
Shoemaker, David R., *see* Woolf, Alan
Shoemaker, Laura G., *see* Lacki, Michael J.
Shrike, loggerhead:
habitat in Alberta, 346–352
winter habitat and abundance in South Carolina, 352–357
Sisson, D. Clay. Review of **The wild turkey: biology and management,** edited by James G. Dickson, 668–669
Sitta canadensis, see Nuthatch, red-breasted
Smith, David R., *see* Palmer, William E.
Smith, Kimberly G., *see* Clark, Joseph D.
Smith, Loren M., and Douglas G. Sheeley. Molt patterns of wintering northern pintails in the Southern High Plains, 229–238
———, and ———. Factors affecting condition of northern pintails wintering in the Southern High Plains, 62–71
———, *see* Bergan, James F.
Smith, Scott G., *see* Irwin, Larry L.
Snag management:
for pileated woodpeckers, 335–345
Snake, black rat:
spatial ecology, 812–826
Sora:
call response surveys, 27–34
Sorenson, Michael D., *see* Arnold, Todd W.
South Carolina:
loggerhead shrike habitat and abundance, 352–357
South Dakota:
nesting ecology of Merriam's turkeys in Black Hills, 789–801

Spain:
Egyptian mongoose activities, 164–167
nesting marsh harriers and human impact, 602–608
Spalding, Marilyn G., *see* Frederick Peter C.
Spears, Gary S., *see* Rice, Steven M.
———, Fred S. Guthery, Steven M. Rice, Stephen J. DeMaso, and Bob Zaiglin. Optimum seral stage for northern bobwhites as influenced by site productivity, 805–811
Speotyto cunicularia, see Owl, burrowing
Sphyrapicus thyroideus, see Sapsucker, Williamson's
Squirrel, Big Cypress fox:
comment on conservation and urban development, 929–930
reply on conservation and urban development, 930–933
Squirrel, southern flying:
cavity selection and red-cockaded woodpeckers, 329–335
Stafford, Tammy R., *see* Avery, Michael L.
Stahlecker, Dale W., *see* Kennedy, Patricia L.
Starling, European:
bird repellents for cyanide ponds, 657–664
Statistics:
encounter sampling surveys, 543–548
estimating adult survival from immature banding samples, 549–555
harvest estimate precision, 129–134
mountain sheep mark-resight estimations, 436–450
multivariate model of black bear habitat use, 519–526
post-stratification and bias reduction, 827–834
regression equations to interpret prey in scats, 534–538
variation in black-tailed deer herd composition counts, 890–897
Steenhof, Karen, Michael N. Kochert, and Jerry A. Roppe. Nesting by raptors and common ravens on electrical transmission line towers, 271–281
Stilt, New Zealand black:
survival and cross-fostering, 608–611
Stilt, pied:
survival and cross-fostering New Zealand black stilts, 608–611
Stribling, H. Lee. Review of **Wild pigs of the United States: their history, morphology, and current status.** By John J. Mayer and I. Lehr Brisbin, Jr., 424
Strix occidentalis caurina, see Owl, northern spotted
Sturnus vulgaris, see Starling, European
Surveys:
encounter sampling, 543–548
use of post-stratification to reduce bias, 827–834
Survival:
as affected by northern pintail winter distributions, 582–589
cross-fostered New Zealand black stilts, 608–611
female mallards wintering in Playa Lakes, 570–577
lesser snow goose body condition and mass-banding, 555–562
nesting Merriam's turkeys, 789–801
rates of Australian ducks, 42–48
rates of Mediterranean pine voles, 158–163
rates of hunted elk, 495–502
rates of black swans in New Zealand, 549–555
relative to sex ratios of wintering canvasbacks, 751–758
released cranes, 673–679
translocated sage grouse in Idaho, 85–91
white-tailed ptarmigan, 71–78
wild turkey hens in pine plantations, 783–789
winter banded northern pintails, 590–597
wintering female canvasbacks, 758–762
wintering hatching-year female canvasbacks, 763–771
wintering northern pintails, 62–71
Sus scrofa, see Pig, feral
Swan, black:
survival rates and banding models in New Zealand, 549–555
Swan, trumpeter:
incubation and habitat quality, 709–716
Sweden:
seasonal salt use by mountain hares, 842–846
Switzerland:
predation by reintroduced European lynx, 135–144
Sylvia borin, see Warbler, garden
Sylvilagus floridanus, see Rabbit, cottontail

T

Tanner, George W., *see* Carlson, Peter C.
Techniques:
artificial nest depredation, 244–248
assessment of northern spotted owl populations, 302–315
bald eagle double clutching, 1–9
bias and hunter-killed mallards, 733–740
black-tailed deer herd composition counts, 890–897
breeding waterbird call response surveys, 27–34
call surveys for Yuma clapper rails, 282–290
determining feasibility of reintroducing Florida panthers, 388–397
effects of transmitters on captive nesting mallards, 703–709
effects of transmitters on wild mallards, 696–703
effects of different transmitters on wild nesting mallards, 690–695
experimental release of cranes, 673–679
fecal indicators of nutritional status of Rocky Mountain sheep, 413–421
field pregnancy tests for wild horses, 168–173
gray wolf scat analysis equation, 534–538
lesser snow goose diets and stable isotopes, 49–54
mallard body condition and sampling bias, 741–751
mark-resight estimates for mountain sheep, 436–450
mass-banding effects on lesser snow geese, 555–562
measuring food and water intake in seals, 514–519
measuring heron nestling survival, 34–41
methods to determine activity types and budgets of Egyptian mongooses, 164–167
model to predict white-tailed deer habitat use, 904–913
monitoring bison ovulation, 407–412
monitoring captive moose pregnancy, 400–407
muskrat body size and condition indices, 854–860
northern goshawk call-response nest survey method, 249–257
post-stratification and bias reduction, 827–834

Review of **The philosophy and practice of wildlife management, Second edition,** by Frederick F. Gilbert and Donald G. Dodds. Review by B. Duncan, 190–191
Review of **Techniques for wildlife habitat management of wetlands,** by Neil F. Payne. Review by R. L. Pederson, 190
sonic/radio tag for whales, 503–513
timing nest searches for waterfowl, 597–601
transmitter design and home-range analysis for small animals, 680–689
urinary cortisol indices of winter stress in mule deer, 397–399
Williamson's sapsucker habitat suitability index, 322–328
Texas:
survival of female mallards wintering in Playa Lakes, 570–577
wintering northern pintails, 62–71
Tit, blue:
transmitter design and home-range analysis for small animals, 680–689
Tit, coal:
transmitter design and home-range analysis for small animals, 680–689
Tit, crested:
transmitter design and home-range analysis for small animals, 680–689
Tit, great:
transmitter design and home-range analysis for small animals, 680–689
Tomias townsendii, see Chipmunk, Townsend's
Torbit, Stephen C., R. Bruce Gill, A. William Alldredge, and James C. Liewer. Impacts of pronghorn grazing on winter wheat in Colorado, 173–181
Translocation:
European lynx in Swiss Alps, 135–144
feasibility of reintroducing Florida panthers, 388–397
sage grouse in Idaho, 85–91
white-tailed ptarmigan, 71–78
Trapping:
effects on recolonization of fishers, 868–874
Tularemia:
regulating cottontail rabbit population, 144–157
Turkey, Merriam's:
nesting ecology in Black Hills, 789–801
Turkey, Rio Grande:
renesting after brood loss, 801–804
Turkey, wild:
Review of **The wild turkey: biology and management,** edited by James G. Dickson. Review by C. D. Sisson, 668–669
survival rates of hens in pine plantations, 783–789
Turner, John W., Jr., *see* Kirkpatrick, Jay F.

U

United Kingdom:
Review of **Ecology and management of coppice woodlands,** edited by G. P. Buckley. Review by D. Hill, 936–937
ring-necked pheasant flying ability and hunting, 778–782
Unsworth, James W., Lonn Kuck, Michael D. Scott, and Edward O. Garton. Elk mortality in the Clearwater drainage of northcentral Idaho, 495–502
Urinary and fecal steroids:
monitoring captive moose pregnancy, 400–407
fecal indicators of nutritional status of Rocky Mountain sheep, 413–421
monitoring bison ovulation in Yellowstone, 407–412
indexing of winter stress in mule deer, 397–399
Ursus americanus, see Bear, black

V

Virgl, John A., and François Messier. Evaluation of body size and body condition indices in muskrats, 854–860
Vole, Mediterranean pine:
survival rates in France, 158–163
Vtorov, Ivan P. Feral pig removal: effect on soil microarthropods in a Hawaiian rain forest, 875–880
Vulpes macrotis mutica, see Kit fox, San Joaquin
Vulpes vulpes, see Fox, red

W

Warbler, garden:
transmitter design and home-range analysis for small animals, 680–689
Washington:
habitat fragmentation and northern spotted owls, 302–315
northern spotted owls and old-growth forest, 315–321
winter foraging by elk, 881–890
Wasser, Samuel K., *see* Monfort, Steven L.
Water quality:
fertility and waterfowl competition, 199–208
Watson, James W., *see* Garrett, Monte G.
Weatherhead, Patrick J., *see* Dufour, Kevin W.
Weaver, John L. Refining the equation for interpreting prey occurence in gray wolf scats, 534–538
Weckerly, Floyd W. Intersexual resource partitioning in black-tailed deer: a test of the body size hypothesis, 475–494
Wetlands:
artificial nest predation, 244–248
fertility and waterfowl competition, 199–208
management of bottomland hardwoods for ducks, 562–570
Review of **Techniques for wildlife habitat management of wetlands,** by Neil F. Payne. Review by R. L. Pederson, 190
Review of **Wetlands,** edited by Max Finlayson and Michael Moser. Review by G. W. Folkerts, 669–670
Whale, humpback:
sonic/radio tag for underwater monitoring, 503–513
Whale, right:
sonic/radio tag for underwater monitoring, 503–513
White, Gary C. Precision of harvest estimates obtained from incomplete responses, 129–134

———, *see* Neal, Andrea K.
White, Patrick J., and Katherine Ralls. Reproduction and spacing patterns of kit foxes relative to changing prey availability, 861–867
Williams, Tony D., Fred Cooke, Evan G. Cooch, and Robert F. Rockwell. Body condition and gosling survival in mass-banded lesser snow geese, 555–562
Wilson, Mark, *see* Crocker, David R.
Wintering:
condition of northern pintails, 62–71
female mallards in Playa Lakes, 570–577
foraging by elk, 881–890
northern pintail distribution, 582–589
northern pintails, molt patterns, and nutrition, 229–238
redhead ducks in near and offshore zones in Louisiana, 238–244
sex ratios of canvasbacks, 751–758
survival of winter banded northern pintails, 590–597
survival of female canvasbacks, 758–762
survival of hatching-year female canvasbacks, 763–771
Wisconsin:
Review of **Wisconsin birdlife population and distribution: past and present,** by Samuel D. Robbins, Jr. Review by D. H. Rusch, 194–195
Wise, Douglas R., *see* Robertson, Peter A.
Wishart, William D., *see* Jorgenson, Jon T.
Wolf, gray:
predation rates, diet composition, and snow depth, 382–388
scat analysis equation, 534–538
Wood, John M., *see* Carlson, Peter C.
Wood, Petra Bohall, and Michael W. Collopy. Effects of egg removal on bald eagle productivity in northern Florida, 1–9
Woodpecker, pileated:
habitat in Oregon, 335–345
Woodpecker, red-cockaded:
habitat in Oklahoma, 122–128
habitat, cavity selection, and southern flying squirrels, 329–335
Review of **A stillness in the pines. The ecology of the red-cockaded woodpecker,** by Robert W. McFarlane. Review by P. D. Doerr, 192–194
Woodrat, dusky-footed:
prey species of northern spotted owls in California, 373–382
Woolf, Alan, David R. Shoemaker, and Morris Cooper. Evidence of tularemia regulating a semi-isolated cottontail rabbit population, 144–157
Woolington, Dennis W. Sex ratios of canvasbacks wintering in Louisiana, 751–758

Y

Yellowstone:
monitoring bison ovulation, 407–412

Z

Zager, Peter, *see* Pauley, George R.
Zaiglin, Bob, *see* Spears, Gary S.